SFS ACOUSTIC
akustik dizayn

ENGLISH VERSION >

DUVAR · TAVAN · ÖZEL ÜRETİM

ÜRÜN KATALOĞU

Akustik Ahşap Panel Üretimi
ve Mimari Proje Çözümleri



- Akustik Performans
- Doğal ve Sürdürülebilir
- Mimari Çözümler
- Özel Üretim

- Konforlu Mekanlar
- Ses Yalıtımı ve Akustik Konfor
- Estetik Doğallık
- Dayanıklı ve Uzun Ömürlü

02

Firma Profili

Proje bazlı akustik ahşap panel üretimi ve uygulama desteği



SFS Akustik, yaşam alanlarının akustik konforunu artıran, estetik ve sürdürülebilir ahşap panel çözümleri üretir.

Delikli, derzli, lineer, mikrodelikli, çıtalı ve özel üretim akustik panellerimiz; konferans salonu, tiyatro, ofis, otel, restoran, eğitim ve kültür yapıları gibi farklı mekânlarda ses emilimini optimize eder.

Üretimden uygulamaya uzanan uçtan uca hizmet anlayışımızla, mimari tasarım diline ve teknik gereksinimlere uygun projeler geliştiriyor; detay, çizim ve sahadaki koordinasyon süreçlerinde çözüm ortağınız oluyoruz.

MİSYON

Akustik konforu artıran, çevreye duyarlı ve estetik ahşap panel çözümleriyle yaşam alanlarına değer katmak.

ÜRETİM KABİLİYETİ

Modern üretim altyapımız ve uzman kadromuzla, standart ve özel üretim akustik panel çözümlerini yüksek kalite ve hassasiyetle üretiyoruz.

PROJE YAKLAŞIMI

Mimari tasarım, akustik analiz ve detay koordinasyonunu bir araya getirerek, ihtiyaca özel çözümler geliştirir; projelerinize değer katarız.

KALİTE ANLAYIŞI

Doğru malzeme seçimi, hassas üretim ve titiz kalite kontrol süreçleriyle uzun ömürlü, güvenilir ve estetik çözümler sunuyoruz.

SÜRDÜRÜLEBİLİR ÜRETİM


Doğal ve yenilenebilir ahşap kaynaklarını sorumlu üretim anlayışıyla kullanıyor; çevresel etkileri minimize eden süreçlerle geleceğe değer katıyoruz.

03

Ürün Grupları

Duvar ve tavan uygulamaları için ana sistemler

Delikli Akustik Panel




Farklı delik çapı ve yoğunluklarıyla geniş frekans aralığında ses emilimi sağlayan akustik panel çözümüdür.

Derzli / Kanallı Panel



Düzgün derz çizgileriyle dekoratif yüzey ve kontrollü akustik performans sunar.

Mikrodelikli Panel



Gizli/mikro perforasyon ile temiz ahşap yüzey görünümü ve yüksek emilim performansı sağlar.

Lineer / Çıtalı / Baffle Sistemler



Modern lineer ahşap görünüm; duvar ve tavanlarda güçlü mimari etki ve akustik kontrol sunar.

Tavan ve Tamamlayıcı Sistemler



Baffle tavan, panel tavan, taşıyıcı sistemler ve aksesuarlarla bütüncül tavan çözümleri sunar.

Yansıtıcı Akustik Paneller



Ses dağılımını dengelemek için emici olmayan kontrolü yüzeyler. Toplantı, eğitim ve performans alanları için idealdir.

Kavisli / Özel Form Paneller



Sahne, oditoryum ve özel form gerektiren projeler için bükülebilir ve özel üretim panel çözümleri.

Doğal & Sürdürülebilir Ahşap Çözümler




Doğal ahşap kaplamalar ve çevre dostu üretim anlayışı ile sürdürülebilir akustik çözümler sunuyoruz.

NOT Tüm sistemlerimiz mimari projeye özel olarak tasarlanır. Detaylı teknik bilgi ve uygulama seçenekleri için lütfen bizimle iletişime geçiniz.

04

Delikli Akustik Panel

Farklı delik yoğunlukları ile profesyonel ses emilimi



SİSTEM TANIMI

Delikli akustik paneller, arka boşluk ve emici dolgu ile birlikte kullanıldığında orta-yüksek frekanslarda yanık kontrolü sağlar. Delik aksı, çapı, panel ölçüsü ve yüzey kaplaması projeye göre seçilir.

TEKNİK OPSİYONLAR

UYGULAMA ALANLARI


- Konferans
- Ofis
- Eğitim
- Kültür
- Toplantı
- Stüdyo

Başlık	Seçenek / Açıklama
Malzeme	MDF / MDF lam / doğal kaplama / lake
Kalınlık	12 - 22 mm aralığında proje bazlı
Delik düzeni	1000 / 2000 / 4000 / 8000 / 16000 yoğunluk seçenekleri
Yüzey	Ahşap kaplama, melamin, lake, özel renk
Arka katman	Akustik kumaş + taş yünü / Silsonic opsiyonu
Montaj	Duvar veya tavan taşıyıcı sistem üzerine

NOT Kesin panel kalınlığı, taşıyıcı detay, arka dolgu ve yüzey kaplama proje şartnamesi, mimari çizim ve akustik hedefe göre netleştirilir.

Derzli ve Kanallı Panel

Dekoratif çizgi etkisi ve akustik kontrol



SİSTEM TANIMI

Derzli ve kanallı paneller, yüzeyde ritmik çizgi etkisi oluşturarak mimari bütünlük sağlar. Delikli varyasyonla birlikte kullanıldığında dekoratif görünüm korunurken ses emilimi artırılır.

TEKNİK OPSİYONLAR

UYGULAMA ALANLARI

- Salon
- Lobi
- Oditoryum
- Kurum
- Otel
- Restoran


Başlık	Seçenek / Açıklama
Malzeme	MDF, doğal kaplama, lake veya MDF lam
Kanal / derz	Genişlik ve aks aralığı proje bazlı
Panel ölçüsü	Standart veya özel ölçü üretim
Varyasyon	Sadece derzli veya derzli-delikli
Kenar detay	Düz, pah, birleşim ve derz çözümleri
Uygulama	Duvar kaplama, tavan kaplama, sahne arkası

NOT Kesin panel kalınlığı, taşıyıcı detay, arka dolgu ve yüzey kaplama proje şartnamesi, mimari çizim ve akustik hedefe göre netleştirilir.

06

Mikrodelikli Akustik Panel

Temiz ahşap yüzey görünümüyle yüksek performans



SİSTEM TANIMI

Mikrodelikli panel sistemi, deliklerin yüzeyde minimum görünürlükte kalmasını sağlayarak premium mekanlarda sade ahşap görünümü sunar. Akustik arka dolgu ile yüksek ses emilimi hedeflenir.

UYGULAMA ALANLARI

- VIP Salon
- Tiyatro
- Otel
- Lobi
- Ev Sineması
- Konferans

TEKNİK OPSİYONLAR


Başlık	Seçenek / Açıklama
Yüzey	Doğal ahşap kaplama / özel veneer
Çekirdek	MDF core, proje kalınlığına göre
Perforasyon	Mikro delik; Ø0.3 - Ø0.5 mm aralığı
Arka dolgu	50 mm Silsonic / taş yünü opsiyonu
Akustik hedef	NRC / sınıf değeri test ve sisteme göre
Kullanım	Premium duvar ve tavan yüzeyleri

NOT Kesin panel kalınlığı, taşıyıcı detay, arka dolgu ve yüzey kaplama proje şartnamesi, mimari çizim ve akustik hedefe göre netleştirilir.

07

Lineer / Çıtalı / Baffle Sistemler

Ritmik ahşap görünüm ve tavan-duvar entegrasyonu



SİSTEM TANIMI

Lineer ahşap sistemler; çıtalı paneller, lineer duvar kaplamaları ve baffle tavan olarak uygulanabilir. Açık derz, arka akustik keçe ve taşıyıcı sistemle hacimsel ses kontrolüne katkı sağlar.

TEKNİK OPSİYONLAR

- Akustik Performans
- Çeşitli Çıta Seçenekleri
- Doğal ve Sürdürülebilir
- Kolay Montaj ve Uygulama

UYGULAMA ALANLARI

- Ofis
- Kafe
- AVM
- Lobi
- Kültür
- Tavan

Başlık	Seçenek / Açıklama
Sistem	Çıtalı panel, lineer panel, baffle tavan
Malzeme	MDF lam, doğal kaplama, lake, masif görünümlü çözümler
Aks aralığı	Mimari tasarıma göre değişken
Arka yüzey	Akustik keçe / emici dolgu
Taşıyıcı	Duvar karkası, tavan askı profili, özel detayı
Üretim	Özel boy, özel renk, özel kesit


NOT Kesin panel kalınlığı, taşıyıcı detay, arka dolgu ve yüzey kaplama proje şartnamesi, mimari çizim ve akustik hedefe göre netleştirilir.

Tavan ve Tamamlayıcı Sistemler

Ahşap, kumaş ve izolasyon destekli akustik çözümler

60x60 Ahşap Tavan Paneli


T24 taşıyıcıya uygun modüller ahşap akustik panel seçeneği.



- Modül: 600 x 600 mm
- Kalınlık: 12 / 16 / 20 mm
- Delik çapı: Ø 6 mm
- Delik aralıkları: 16 / 8 / 4 / 2 mm

Akustik Kumaş Panel

20 mm / 40 mm gibi kalınlıklarla dekoratif emici yüzey çözümü.



- Kalınlık: 20 / 40 mm
- Kumaş yüzey
- Yüksek ses emicilik
- Çeşitli renk seçenekleri

Yansıtıcı Ahşap Panel

Ses enerjisini absorbe etmeden kontrollü biçimde dağıtmaya yardımcı yüzey çözümü.



- Yansıtıcı yüzey
- Doğal ahşap kaplama
- Salon, oditoryum, sahne arkası
- Akustik dengeyi destekler

Ahşap Yünü Panel

Tekstürel yüzeyli, darbe ve nem dayanımı gerektiren alanlar için alternatif.



- Doğal ahşap yünü
- Darbe dayanımı
- Nem ve küf direnci
- Endüstriyel estetik

Taşyünü / Silsonic Dolgu

Arka hacimde ses emilimini artırmak için kullanılan tamamlayıcı dolgu malzemesi.



- Yüksek ses emilimi
- Yangın dayanımı
- Yoğunluk seçenekleri
- Kolay uygulama

Taşıyıcı Profil ve Montaj Detayı


Kutu profil, T24 profil, askı profili ve proje bazlı alt konstrüksiyon sistemleri.



- T24 ana taşıyıcı
- T24 tali taşıyıcı
- Askı teli ve bağlantı
- Hızlı ve güvenli montaj


TAVAN SİSTEM ÖRNEKLERİ

Akustik 60x60 Panel Tavan Sistemi




1 Tavan Betonu
2 Askı Teli
3 T24 Ana Taşıyıcı
4 T24 Tali Taşıyıcı
5 Akustik Panel (60x60)
6 Taşyünü Dolgu

Lineer Ahşap Tavan Sistemi



1 Tavan Betonu
2 Askı Teli
3 Taşıyıcı Taşıyıcı Profil
4 Lineer Ahşap Panel
5 Taşyünü Dolgu

Akustik Kumaş Panel Tavan Sistemi



1 Tavan Betonu
2 Askı Teli
3 Taşıyıcı Profil
4 Akustik Kumaş Panel
5 Taşyünü Dolgu

MALZEME VE YÜZEY SEÇENEKLERİ

Ahşap Kaplama



Doğal ahşap yüzeyler (Ceviz, Meşe, Dişbudak vb.)

Melamin



Geniş renk ve desen seçenekleri

Lake / RAL Renk



Özel renk uygulamaları (RAL kodlarına uygun)

Akustik Kumaş



Farklı doku ve renklerde kumaş kaplama

Taşyünü Dolgu



Yoğunluk seçenekli yalıtım dolgu

Siyah Akustik Backing



Arka yüzey emici akustik keçe

09

Uygulama Alanları ve Proje Süreci

Mekân ihtiyacına göre teknik ve mimari çözüm



UYGULAMA ALANLARI

- Konferans Salonları
- Ofisler
- Eğitim Yapıları
- Kültür Merkezleri
- Toplantı Odaları
- Stüdyolar & Performans Alanları
- Oteller
- Restoranlar
- Kamusal & Toplumsal Alanlar

PROJE SÜRECİ

01 — Keşif
Mekân analizi, ihtiyaçların ve akustik hedeflerin belirlenmesi.

02 — Tasarım
Akustik çözüm ve mimari bütünlük esaslı proje ve uygulama detayları.

03 — Üretim
CNC kesim, kaplama ve kalite kontrol süreçleriyle üretim.

04 — Sevkiyat
Paketleme ve planlı lojistik ile sahaya teslimat.

05 — Montaj
Uzman ekip ile hızlı ve doğru uygulama.

06 — Teslim
Kontrol, test ve kullanıma hazır teslim.

SFS Akustik, proje başlangıcından teslimata kadar tüm süreçte yanınızdadır.

Teknik Seçenekler ve İletişim

Katalog genel bilgilendirme amaçlıdır; kesin değerler proje bazında teyit edilir

KATEGORİ	SEÇENEKLER
Malzeme Seçenekleri	MDF, MDF lam, doğal kaplama (ahşap), lake, proje bazlı özel yüzeyler
Yüzey Alternatifleri	Mat / yarı mat vernik, lake boya, doğal kaplama, özel renk seçenekleri
Panel Kalınlıkları	12 mm, 16 mm, 18 mm, 20 mm, 22 mm (opsiyonel kalınlıklar için proje bazlı değerlendirme)
Akustik Arka Dolgu	Akustik keçe, taş yünü, Silsonic veya proje gereğine uygun akustik dolgu malzemeleri
Montaj Seçenekleri	Duvar veya tavan taşıyıcı sistem üzerine vidalı montaj, kızaklı sistem, gizli klips ve manyetik montaj (opsiyonel)
Özel Üretim	Özel ölçü, CNC delik, kanal, derz, kavisli panel, desen uygulamaları ve paketleme
Proje Desteği	Yurt içi ve ihracat projelerine üretim, teknik danışmanlık, numune ve uygulama desteği

SFS ACOUSTIC
akustik dizayn

Projeniz için teknik çözüm ve teklif alabilirsiniz.

Web
www.sfsakustik.com

E-posta
info@sfsakustik.com

Telefon / WhatsApp
+90 546 875 27 45 | +90 222 606 05 80

Üretim ve Merkez
75. Yıl Mh. Teksan San. Sit. 11225 Sk.
J Blok No:71-73, Odunpazarı / Eskişehir

SFS ACOUSTIC
akustik dizayn

TURKISH VERSION >

WALL · CEILING · CUSTOM PRODUCTION

PRODUCT CATALOG

Acoustic Wood Panel Manufacturing
and Architectural Project Solutions

- Acoustic Performance
- Natural & Sustainable
- Architectural Solutions
- Custom Manufacturing



- Comfortable Spaces
- Sound Insulation & Acoustic Comfort
- Aesthetic Naturalness
- Durable & Long-Lasting

02

Company Profile

Project-based acoustic wood panel manufacturing and installation support



SFS Akustik produces aesthetic and sustainable wood panel solutions that enhance the acoustic comfort of living spaces.

Our perforated, grooved, linear, micro-perforated, slatted and custom acoustic panels optimize sound absorption in conference halls, theaters, offices, hotels, restaurants, educational and cultural buildings, and many other spaces.

With our end-to-end service approach from production to installation, we develop projects that match the architectural design language and technical requirements, and we act as your solution partner in detail development, drawings, and on-site coordination.

MISSION

To add value to living spaces through environmentally conscious and aesthetic acoustic wood panel solutions that improve acoustic comfort.

PRODUCTION CAPABILITY

With our modern production infrastructure and expert team, we manufacture standard and custom acoustic panel solutions with high quality and precision.

PROJECT APPROACH

By combining architectural design, acoustic analysis, and detail coordination, we develop customized solutions that add value to your projects.

QUALITY APPROACH

Through correct material selection, precise production, and rigorous quality control processes, we provide long-lasting, reliable, and aesthetic solutions.


SUSTAINABLE PRODUCTION

We use natural and renewable wood resources responsibly and create value for the future through processes that minimize environmental impact.

Product Groups

Main systems for wall and ceiling applications

Perforated Acoustic Panel




An acoustic panel solution that provides sound absorption across a wide frequency range with various hole diameters and densities.

Jointed / Grooved Panel



Offers a decorative surface and controlled acoustic performance through clean joint lines.

Micro-Perforated Panel



Provides a clean wood surface appearance and high absorption performance through hidden / micro perforation.

Linear / Slatted / Baffle Systems



A modern linear wood appearance that provides strong architectural impact and acoustic control on walls and ceilings.

Ceiling and Complementary Systems



Provides integrated ceiling solutions with baffle ceilings, panel ceilings, support systems, and accessories.

Reflective Acoustic Panels



Controlled non-absorptive surfaces that balance sound distribution. Ideal for meeting, education, and performance spaces.

Curved / Custom Form Panels



Flexible and custom-manufactured panel solutions for projects requiring curved forms, stages, and auditoriums.

Natural & Sustainable Wood Solutions




We provide sustainable acoustic solutions with natural wood veneers and an eco-friendly production approach.

NOTE

All our systems are designed specifically for architectural projects.
Please contact us for detailed technical information and application options.

Perforated Acoustic Panel

Professional sound absorption with various perforation densities



SYSTEM DESCRIPTION

Perforated acoustic panels provide mid- to high-frequency sound control when used together with a rear cavity and absorptive infill.

Hole spacing, diameter, panel size, and surface finish are selected according to the project.

TECHNICAL OPTIONS

APPLICATION AREAS

- Conference
- Office
- Education
- Culture
- Meeting
- Studio

Item	Option / Description
Material	MDF / melamine-faced MDF / natural veneer / lacquer
Thickness	Project-based within the 12 - 22 mm range
Perforation Pattern	1000 / 2000 / 4000 / 8000 / 16000 density options
Finish	Wood veneer, melamine, lacquer, custom color
Back Layer	Acoustic fabric + rock wool / Silsonic option
Installation	On wall or ceiling support systems


NOTE

Final panel thickness, support details, rear infill, and surface finish are determined according to the project specifications, architectural drawings, and acoustic targets.

05

Jointed and Grooved Panel

Decorative linear effect and acoustic control



SYSTEM DESCRIPTION

Jointed and grooved panels create architectural unity through a rhythmic linear effect on the surface. When used together with perforated variations, the decorative appearance is preserved while sound absorption is enhanced.

TECHNICAL OPTIONS

APPLICATION AREAS

- Lounge
- Lobby
- Auditorium
- Corporate
- Hotel
- Restaurant

Item	Option / Description
Material	MDF, natural veneer, lacquer, or melamine-faced MDF
Groove / Joint	Width and center spacing based on the project
Panel Size	Standard or custom size production
Variation	Jointed only or jointed-perforated
Edge Detail	Straight, chamfered, joint, and groove solutions
Application	Wall cladding, ceiling cladding, backstage


NOTE

Final panel thickness, support details, rear infill, and surface finish are determined according to the project specifications, architectural drawings, and acoustic targets.

06

Micro-Perforated Acoustic Panel

High performance with a clean wood surface appearance



SYSTEM DESCRIPTION

The micro-perforated panel system keeps the perforations minimally visible on the surface, providing a refined wood appearance for premium interiors. High sound absorption is targeted with acoustic rear infill.

TECHNICAL OPTIONS

APPLICATION AREAS

- VIP Lounge
- Theater
- Hotel
- Lobby
- Home Theater
- Conference

Item	Option / Description
Finish	Natural wood veneer / custom veneer
Core	MDF core, depending on project thickness
Perforation	Micro hole; Ø0.3 - Ø0.5 mm range
Rear Infill	50 mm Silsonic / rock wool option
Acoustic Target	NRC / class value according to test and system
Use	Premium wall and ceiling surfaces


NOTE

Final panel thickness, support details, rear infill, and surface finish are determined according to the project specifications, architectural drawings, and acoustic targets.

07

Linear / Slatted / Baffle Systems

Rhythmic wood appearance and wall-ceiling integration



SYSTEM DESCRIPTION

Linear wood systems can be applied as slatted panels, linear wall claddings, and baffle ceilings. With open joints, rear acoustic felt, and a support system, they contribute to spatial sound control.

TECHNICAL OPTIONS

- Acoustic Performance
- Various Slat Options
- Natural & Sustainable
- Easy Installation & Application

APPLICATION AREAS

- Office
- Cafe
- Mall
- Lobby
- Culture
- Ceiling

Item	Option / Description
System	Slatted panel, linear panel, baffle ceiling
Material	Melamine-faced MDF, natural veneer, lacquer, solid-look solutions
Center Spacing	Variable according to architectural design
Back Surface	Acoustic felt / absorptive infill
Support System	Wall frame, ceiling suspension profile, custom detail
Production	Custom length, custom color, custom section

NOTE


Final panel thickness, support details, rear infill, and surface finish are determined according to the project specifications, architectural drawings, and acoustic targets.

Ceiling and Complementary Systems

Acoustic solutions supported by wood, fabric, and insulation

60x60 Wood Ceiling Panel


A modular wood acoustic panel option
suitable for T24 carrier systems.



- Module: 600 x 600 mm
- Thickness: 12 / 16 / 20 mm
- Hole diameter: Ø 6 mm
- Hole spacing: 16 / 8 / 4 / 2 mm

Acoustic Fabric Panel

A decorative absorptive surface solution
with thickness options such as 20 mm / 40 mm.



- Thickness: 20 / 40 mm
- Fabric finish
- High sound absorption
- Various color options

Reflective Wood Panel

A surface solution that helps distribute sound energy
in a controlled way without absorbing it.



- Reflective surface
- Natural wood veneer
- Lounge, auditorium, backstage
- Supports acoustic balance

Wood Wool Panel

An alternative for spaces requiring a textured surface,
impact resistance, and moisture resistance.



- Natural wood wool
- Impact resistance
- Moisture and mold resistance
- Industrial aesthetics

Rock Wool / Silsonic Infill


A complementary infill material used to increase
sound absorption in the rear cavity.



- High sound absorption
- Fire resistance
- Density options
- Easy application

Carrier Profile and Installation Detail


Box profile, T24 profile, suspension profile,
and project-based substructure systems.



- T24 main carrier
- T24 secondary carrier
- Hanger wire and connection
- Fast and secure installation


CEILING SYSTEM EXAMPLES

Acoustic 60x60 Panel Ceiling System




1 Concrete Ceiling
2 Hanger Wire
3 T24 Main Carrier
4 T24 Secondary Carrier
5 Acoustic Panel (60x60)
6 Rock Wool Infill

Linear Wood Ceiling System



1 Concrete Ceiling
2 Hanger Wire
3 Carrier Profile
4 Linear Wood Panel
5 Rock Wool Infill

Acoustic Fabric Panel Ceiling System



1 Concrete Ceiling
2 Hanger Wire
3 Carrier Profile
4 Acoustic Fabric Panel
5 Rock Wool Infill

MATERIAL AND FINISH OPTIONS

Wood Veneer



Natural wood surfaces
(Walnut, Oak, Ash, etc.)

Melamine



Wide range of colors
and patterns

Lacquer / RAL Color



Custom color applications
(according to RAL codes)

Acoustic Fabric



Fabric finishes in various
textures and colors

Rock Wool Infill



Insulation infill with
density options

Black Acoustic Backing



Absorptive acoustic felt on
the rear surface

09

Application Areas and Project Process

Technical and architectural solutions according to spatial needs



APPLICATION AREAS

- Conference Halls
- Offices
- Educational Buildings
- Cultural Centers
- Meeting Rooms
- Studios & Performance Spaces
- Hotels
- Restaurants
- Public & Community Spaces

PROJECT PROCESS

01 — 02 — 03 — 04 — 05 — 06

Survey

Analysis of the space, needs, and acoustic targets.

Design

Project and application details based on acoustic solutions and architectural integrity.

Production

Production through CNC cutting, finishing, and quality control processes.

Shipment

Delivery to site with packaging and planned logistics.

Installation

Fast and accurate application by an expert team.

Handover

Inspection, testing, and ready-for-use delivery.

SFS Akustik is with you throughout the entire process, from project initiation to final handover.

10

Technical Options and Contact

This catalog is for general information purposes; final values are confirmed on a project basis

CATEGORY	OPTIONS
Material Options	MDF, melamine-faced MDF, natural veneer (wood), lacquer, project-based custom surfaces
Finish Alternatives	Matte / semi-matte varnish, lacquer paint, natural veneer, custom color options
Panel Thicknesses	12 mm, 16 mm, 18 mm, 20 mm, 22 mm (optional thicknesses are evaluated according to the project)
Acoustic Rear Infill	Acoustic felt, rock wool, Silsonic, or acoustic infill materials suitable for project requirements
Installation Options	Screw-fixed installation on wall or ceiling support systems, sliding system, hidden clips, and magnetic mounting (optional)
Custom Manufacturing	Custom sizes, CNC perforation, grooves, joints, curved panels, pattern applications, and packaging
Project Support	Manufacturing, technical consultancy, samples, and application support for domestic and export projects

SFS ACOUSTIC
akustik dizayn

You can get technical solutions and a quotation for your project.

Web
www.sfsakustik.com

E-mail
info@sfsakustik.com

Phone / WhatsApp
+90 546 875 27 45 | +90 222 606 05 80

Production & Headquarters
75. Yıl Mh. Teksan San. Sit. 11225 Sk.
J Blok No:71-73, Odunpazarı / Eskişehir